

List of Compatible Device Models

Wireless Manager ME6.4

Wireless Manager mobile edition 6.4

- As of November 2018 -

- In using this software, bear in mind that the items whose settings must be selected for the projectors and the functions that can be used may differ from one projector model to another. While referring to the table below, check out that projector models are compatible with the software before using them.

List of projector models

PT-DW530	3
PT-DX500	3
PT-DZ570	3
PT-F300NT	6
PT-FW300NT	6
PT-FW430	3
PT-FX400	3
PT-LB75NT	10
PT-LB80NT	10
PT-LB90NT	10
PT-LW80NT	10
PT-MW530	2
PT-MW630	2
PT-MW730	2
PT-MZ570	2
PT-MZ670	2
PT-MZ770	2
PT-VW345N	8
PT-VW355N	5
PT-VW435N	7
PT-VW535N	5
PT-VW545N	4
PT-VX400NT	9
PT-VX415N	8
PT-VX425N	5
PT-VX505N	7
PT-VX605N	5
PT-VX615N	4
PT-VZ575N	5
PT-VZ585N	4

The software is not compatible with any projector models that are not listed above.

■ PT-MZ770 / PT-MZ670 / PT-MW730 / PT-MW630 / PT-MZ570 / PT-MW530

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: A/AT/(blank), Lens: L/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	○
	[S-DIRECT] connection/[M-DIRECT] connection	○ *1
	[S-MAP] connection	×
	[USER] connection	○
	[1-4] connection	× *2
	[IP designation] connection	○
	[USB display] connection	×
Compatible functions	Live mode *3	○
	Multi-Live mode *3	× *4
	Moderator Mode *3	○
	Multiple unit live mode *3	○
	Browser remote control	○
	WEB control	○
	Content Manager	×

*1: Only M-DIRECT connection can be used.

*2: Only infrastructure mode can be used.

*3: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.

Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

*4: Multi live mode is not supported, but moderator mode is available to function in its place.

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

■ PT-DZ570 / PT-DW530 / PT-DX500

■ PT-FW430 / PT-FX400

A wireless module, purchased separately, is required when connecting any of the above models using a wireless LAN.

It is not required when connecting one of the above models using a wired LAN.

Furthermore, alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: E/EA/U/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	×
	[S-MAP] connection	○
	[USER1] to [USER2] connection	○
	[1-4] connection	○
	[IP designation] connection	○
	[USB display] connection	×
Compatible functions	Live mode *1	○
	Multi-Live mode *1	○
	Moderator Mode *1	×
	Multiple unit live mode *1	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

PT-VZ585N / PT-VW545N / PT-VX615N

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: D/J/T/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	○
	[S-DIRECT] connection/[M-DIRECT] connection	○ *1
	[S-MAP] connection	×
	[USER] connection	○
	[1-4] connection	×
	[IP designation] connection	○
	[USB display] connection	○ *3
Compatible functions	Live mode *4	○
	Multi-Live mode *4	×
	Moderator Mode *4	○
	Multiple unit live mode *4	○
	Browser remote control	○
	WEB control	○
	Content Manager	×

*1: Only M-DIRECT connection can be used.

*2: Only infrastructure mode can be used.

*3: A USB cable is required for this connection. macOS is not supported.

*4: PC audio can only be output from the projector in "Live mode".

However, it is necessary to install this software (driver) on the PC.

Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

*5: Multi live mode is not supported, but moderator mode is available to function in its place.

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

■ PT-VW355N / PT-VX425N

■ PT-VZ575N / PT-VW535N / PT-VX605N

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: D/J/T/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	○
	[S-DIRECT] connection/[M-DIRECT] connection	○
	[S-MAP] connection	×
	[USER1] to [USER2] connection	○ *1
	[1-4] connection	× *1
	[IP designation] connection	○
	[USB display] connection	○ *2
Compatible functions	Live mode *3	○
	Multi-Live mode *3	○
	Moderator Mode *3	×
	Multiple unit live mode *3	○
	Browser remote control	○
	WEB control	○
	Content Manager	×

*1: Only the infrastructure mode for USER connection is compatible.

*2: A USB cable is required for this connection. macOS is not supported.

*3: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

PT-FW300NT / PT-F300NT

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: E/EA/U/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	×
	[S-MAP] connection	○
	[USER1] to [USER2] connection	○
	[1-4] connection	○
	[IP designation] connection	○
	[USB display] connection	×
Compatible functions	Live mode *1	○
	Multi-Live mode *1	○
	Moderator Mode *1	×
	Multiple unit live mode *1	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

PT-VW435N / PT-VX505N

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: E/EA/U/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	○
	[S-MAP] connection	○
	[USER1] to [USER2] connection	○
	[1-4] connection	○
	[IP designation] connection	○
	[USB display] connection	○ *1
Compatible functions	Live mode *2	○
	Multi-Live mode *2	○
	Moderator Mode *2	×
	Multiple unit live mode *2	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: A USB cable is required for this connection. macOS is not supported.

*2: PC audio can only be output from the projector in "Live mode".

However, it is necessary to install this software (driver) on the PC.

Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

PT-VW345N / PT-VX415N

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: Z/ZD/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	○
	[S-MAP] connection	×
	[USER1] to [USER2] connection	○ *1
	[1-4] connection	×
	[IP designation] connection	○
	[USB display] connection	○ *2
Compatible functions	Live mode *3	○
	Multi-Live mode *3	○
	Moderator Mode *3	×
	Multiple unit live mode *3	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: Only the infrastructure mode for USER connection is compatible.

*2: A USB cable is required for this connection. macOS is not supported.

*3: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

PT-VX400NT

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: E/EA/U/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	×
	[S-MAP] connection	○
	[USER1] to [USER2] connection	○
	[1-4] connection	○
	[IP designation] connection	○
	[USB display] connection	○ *2
Compatible functions	Live mode *1	○
	Multi-Live mode *1	○
	Moderator Mode *1	×
	Multiple unit live mode *1	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

*2: A USB cable is required for this connection. macOS is not supported.

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.

■ PT-LW80NT / PT-LB90NT / PT-LB80NT / PT-LB75NT

Alphabet letters are omitted from the end of the above product numbers because the specifications are common regardless of whether the alphabet letters are included.

* Alphabet letters at end (place of destination: E/EA/U/(blank))

○: Possible ×: Not possible

Function		Compatibility
Connection method/Control	[SIMPLE] connection	×
	[S-DIRECT] connection/[M-DIRECT] connection	×
	[S-MAP] connection	○
	[USER1] to [USER2] connection	○
	[1-4] connection	○
	[IP designation] connection	○
	[USB display] connection	×
Compatible functions	Live mode *1	○
	Multi-Live mode *1	○
	Moderator Mode *1	×
	Multiple unit live mode *1	○
	Browser remote control	×
	WEB control	○
	Content Manager	×

*1: PC audio can only be output from the projector in "Live mode".
However, it is necessary to install this software (driver) on the PC.
Audio cannot be output in "Multi-Live mode"/"Moderator Mode"/"Multiple unit live mode".

Limitations of use with software not installed

- Function that outputs audio together with images in Live Mode cannot be used.